



मातृ मृत्यु निगरानी तथा प्रतिकार्य

Maternal Death Surveillance and Response [MDSR]

- 3.3 Video Show - Why Did Mrs X Die?



नेपाल सरकार
स्वास्थ्य मन्त्रालय
स्वास्थ्य सेवा विभाग
परिवार स्वास्थ्य महाशाखा




Expected Outcomes

- Comprehend the rationale, objectives, process, response and outcomes of MPDSR system
- To understand the factors that make maternal death more likely.
- To understand how these factors can be removed or reduced in the locality through effective community-based health care.
- To understand the roles of different stakeholders:
- Better response of maternal deaths at all levels leading to improved health outcomes



The Story


- This is a story of one case of maternal death. For the sake of anonymity, let us call the unfortunate woman, **Mrs X**.
- **Mrs X** died during labor in a hospital. It was a case of antepartum haemorrhage due to placenta praevia.
- The doctor entered the appropriate ICD10 Code; and closed the file of **Mrs X**.
- Later the file was re-opened and the causes analyzed.
- The analysis identified the 'avoidable factors' in facility and community.
- An action plan was made and acted upon to prevent similar deaths





Let's See What Led to Mrs X's Death: The Path Way to Her Death

- ➔ Socio – economic status
- ➔ Family status
- ➔ Community health services
- ➔ Access to health facility / services
- ➔ Quality of health services in the facility





Watch the Video


https://www.youtube.com/watch?v=gS7fCvCle1k&ebc=ANyPxKpbsEGR1Et8qf77_graO6GZKLEdbSufo4xbNtIPhLwFQW6HowxYeoDEGfjLyfDsygR9EogcAgr1hPut2wjAlAWd83bL2g

- And discuss ...



What led to Mrs's X death?: The Path Way to Her Death

- ➡ Socio – economic status
- ➡ Family status
- ➡ Community health services
- ➡ Access to health facility / services
- ➡ Quality of health services in the facility





Path Way to Death



**The cause of death was not just the
'Antepartum Hemorrhage'**



Path Way to Death

- 39 years old, a poor housewife, illiterate, mother of five children, three of them are males, and Mrs X did not want another child
- Chronic iron deficiency anaemia caused by malnutrition and parasitic infestations
- Never had access to any family planning information, education or services, and therefore never had the opportunity to use any method of family planning in her life
- Never had access to any sort of prenatal care during her pregnancy
- Delay in deciding to go to facility
- Delay in arranging transport to facility
- Poor quality of care at hospital – inadequate blood and delayed CS




Response to Mrs X's Death

- ➡ Blood bank in the hospital
- ➡ Hospital ready for emergency management
- ➡ Women empowerment activities at the community
- ➡ Community health services – FP, ANC
- ➡ Ambulance management
- ➡ Skilled birth attendants at the community



How Can Mrs Y be Saved?

- Socio – economic status
- Family status
- Community health services
- Access to health facility / services
- Quality of health services in the facility





Any comments / feedback
?



धन्यवाद



नेपाल सरकार
स्वास्थ्य मन्त्रालय
स्वास्थ्य सेवा विभाग
परिवार स्वास्थ्य महाशाखा

